Form PTO 948 (Rev. 8-98) U.S. DEPARTMENT OF COMMERCE - Patent and Trademark Office Application No. 9479,608

What the reader of a core of

NOTICE OF DRAFTSPERSON'S PATENT DRAWING REVIEW

DRAWINGS. 37 CFR 1.84(a): Acceptable categories of drawings: Black ink. Color. Color drawings are not acceptable until petiton is granted. Fig(s) Pencil and non black ink not permitted. Fig(s) PHOTOGRAPHS. 37 CFR 1.84 (b) 1 full-tone set is required. Fig(s) Photographs not properly mounted (must use brystol board or photographic double-weight paper). Fig(s) Foor quality (half-tone). Fig(s) TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s)	8. ARRANGEMENT OF VIEWS. 37 CFR 1.84(i) Words do not appear on a horizontal, 1eft-to-right fashion when page is either upright or turned so that the top becomes the right side, except for graphs. Fig(s) 9. SCALE. 37 CFR 1.84(k) Scale not large enough to show mechanism without crowding when drawing is reduced in size to two-thirds reproduction. Fig(s) 10. CHARACTER OF LINES, NUMBERS, & LETTERS. 37 CFR 1.84(i) Lines, numbers & letters not uniformly thick and well
Color drawings are not acceptable until petiton is granted. Fig(s) Pencil and non black ink not permitted. Fig(s) PHOTOGRAPHS. 37 CFR 1.84 (b) I full-tone set is required. Fig(s) Photographs not properly mounted (must use brystol board or photographic double-weight paper). Fig(s) Foor quality (half-tone). Fig(s) TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasuires, alterations, overwritings, interlineations,	when page is either upright or turned so that the top becomes the right side, except for graphs. Fig(s) 9. SCALE. 37 CFR 1.84(x) Scale not large enough to show mechanism without crowding when drawing is reduced in size to two-thirds reproduction. Fig(s) 10. CHARACTER OF LINES, NUMBERS, & LETTERS. 37 CFR 1.84(i) Lines, numbers & letters not uniformly thick and well
Fig(s) Pencil and non black ink not permitted. Fig(s) PHOTOGRAPHS. 37 CFR 1.84 (b) 1 full-tone set is required. Fig(s) Photographs not properly mounted (must use brystol board or photographic double-weight paper). Fig(s) Foor quality (half-tone). Fig(s) TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations,	9. SCALE. 37 CFR 1.84(k) Scale not large enough to show mechanism without crowding when drawing is reduced in size to two-thirds reproduction. Fig(s) 10. CHARACTER OF LINES, NUMBERS, & LETTERS. 37 CFR 1.84(i) Lines, numbers & letters not uniformly thick and well
Pencil and non black ink not permitted. Fig(s) PHOTOGRAPHS. 37 CFR 1.84 (b) 1 full-tone set is required. Fig(s) Photographs not properly mounted (must use brystol board or photographic double-weight paper). Fig(s) Foor quality (half-tone). Fig(s) TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations,	9. SCALE 37 CFR 1.84(k) Scale not large enough to show mechanism without crowding when drawing is reduced in size to two-thirds reproduction. Fig(s) 10. CHARACTER OF LINES, NUMBERS, & LETTERS. 37 CFR 1.84(i) Lines, numbers & letters not uniformly thick and well
PHOTOGRAPHS. 37 CFR 1.84 (b) 1 full-tone set is required. Fig(s) Photographs not properly mounted (must use brystol board or photographic double-weight paper). Fig(s) Foor quality (half-tone). Fig(s) TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations,	Scale not large enough to show mechanism without crowding when drawing is reduced in size to two-thirds reproduction. Fig(s) 10. CHARACTER OF LINES, NUMBERS, & LETTERS. 37 CFR 1.84(i) Lines, numbers & letters not uniformly thick and well
1 full-tone set is required. Fig(s) Photographs not properly mounted (must use brystol board or photographic double-weight paper). Fig(s) Foor quality (half-tone). Fig(s) TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations,	crowding when drawing is reduced in size to two-thirds reproduction. Fig(s) 10. CHARACTER OF LINES, NUMBERS, & LETTERS. 37 CFR 1.84(i) Lines, numbers & letters not uniformly thick and well
Photographs not properly mounted (must use brystol board or photographic double-weight paper). Fig(s) Foor quality (half-ione). Fig(s) TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations,	reproduction. Fig(s) 10. CHARACTER OF LINES, NUMBERS, & LETTERS. 37 CFR 1.84(i) Lines, numbers & letters not uniformly thick and well
photographic double-weight paper). Fig(s) Foor quality (half-tone). Fig(s) TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations,	10. CHARACTER OF LINES, NUMBERS, & LETTERS. 37 CFR 1.84(i) Lines, numbers & letters not uniformly thick and well
TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations,	37 CFR 1.84(i) Lines, numbers & letters not uniformly thick and well
Paper not flexible, strong, white, and durable. Fig(s)	Lines, numbers & letters not uniformly thick and well
Fig(s) Erasures, alterations, overwritings, interlineations,	
Erasures, alterations, overwritings, interlineations,	
	defined, clean, durable, and black (poor line quality). Fig(s)
	11. SHADING, 37 CFR 1.84(m) 10
Mylar, velum paper is not acceptable (too thin).	
Fig(s)	Solid black areas pale, Fig(s) Solid black shading not permitted. Fig(s)
SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes:	State U. D. Shade lines, pale, rough and blurred. Fig(s) Y : Y
01 0' L 00 7 (DIN) AA)	'11 AUDIDE LETTEDE A DECEDENCE CUADACTEDS
21.6 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not the same size.	37 CFR 1.84(p) Numbers and reference characters not plain and legible. Figs.
All drawing sheets not the same size.	Numbers and reference characters not plain and legible.
511001(3)	
Drawings sheets not an acceptable size. Fig(s)	Figure legends are poor. Fig(s) Numbers and reference characters not oriented in the
MARGINS. 37 CFR 1.84(g): Acceptable margins:	4. 16 ', 4. same direction as the view, 37 CFR 1.84(p)(1)
Top 2.5 cm Left 2.5cm Right 1.5 cm Bottom 1.0 cm	Fig(s)
SIZE: A4 Size	English alphabet not used. 37 CFR 1.84(p)(2)
Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm	Figs
SIZE: 8 1/2 x 11	Numbers, letters and reference characters must be at lea
Margins not acceptable. Fig(s)	.32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3)
Top (T) Left (L)	Fig(s)
Right (R) Bottom (B)	13. LEAD LINES. 37 CFR 1.84(q) Lead lines cross each other. Fig(s)
VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to	- Lead lines missing. Fig(s)
correspond to drawing changes.	14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(
Partial views. 37 CFR 1.84(h)(2)	Sheets not numbered consecutively, and in Arabic nume
Brackets needed to show figure as one entity.	beginning with number 1. Sheet(s)
Fig(s)	15. NUMBERING OF VIEWS. 37 CFR 1.84(u)
Views not labeled separately or properly.	Views not numbered consecutively, and in Arabic numer
Fig(s)	beginning with number 1. Fig(s)
Enlarged view not labeled separetely or properly.	16. CORRECTIONS. 37 CFR 1.84(w)
Fig(s)	Corrections not made from prior PTO-948
SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object.	17. DESIGN DRAWINGS, 37 CFR 1.152
Fig(s)	Surface shading shown not appropriate. Fig(s)
Sectional designation should be noted with Arabic or	Solid black shading not used for color contrast.
Roman numbers. Fig(s)	Fig(s)
U. /	
<u> </u>	
COMMENTS	
	•

Attachment for PTO-948 (Rev. 03/01, or earlier) 6/18/01

The below text replaces the pre-printed text under the heading, "Information on How to Effect Drawing Changes," on the back of the PTO-948 (Rev. 03/01, or earlier) form.

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

1. Correction of Informalities -- 37 CFR 1.85

New corrected drawings must be filed with the changes incorporated therein. Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and centered within the top margin. If corrected drawings are required in a Notice of Allowability (PTOL-37), the new drawings MUST be filed within the THREE MONTH shortened statutory period set for reply in the Notice of Allowability. Extensions of time may NOT be obtained under the provisions of 37 CFR 1.136(a) or (b) for filing the corrected drawings after the mailing of a Notice of Allowability. The drawings should be filed as a separate paper with a transmittal letter addressed to the Official Draftsperson.

2. Corrections other than Informalities Noted by Draftsperson on form PTO-948.

All changes to the drawings, other than informalities noted by the Draftsperson, MUST be made in the same manner as above except that, normally, a highlighted (preferably red ink) sketch of the changes to be incorporated into the new drawings MUST be approved by the examiner before the application will be allowed. No changes will be permitted to be made, other than correction of informalities, unless the examiner has approved the proposed changes.

Timing of Corrections

Applicant is required to submit the drawing corrections within the time period set in the attached Office communication. See 37 CFR 1.85(a).

Failure to take corrective action within the set period will result in **ABANDONMENT** of the application.

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

1. Correction of Informalities--37 CFR 1.85

File new drawings with the changes incorporated therein. The application number or the title of the invention, inventor's name, docket number (if any), and the name and telephone number of a person to call if the Office is unable to match, the drawings to the proper application, should be placed on the back of each sheet of drawings in accordance with 37 CFR 1.84(c). Applicant may delay filing of the new drawings until receipt of the Notice of Allowability (PTOL-37). Extensions of time may be obtained under the provisions of 37 CFR 1.136. The drawing should be filed as a separate paper with a transmittal letter addressed to the Drawing Processing Branch.

2. Timing for Corrections

Applicant is required to submit acceptable corrected drawings within the three-month shortened statutory period set in the Notice of Allowability (PTOL-37). If a correction is determined to be unacceptable by the Office, applicant must arrange to have acceptable corrections resubmitted within the original three-month period to avoid the necessity of obtaining an extension of time and paying the extension fee. Therefore, applicant should file corrected drawings as soon a possible.

Failure to take corrective action within set (or extended) period will result in ABANDONMENT of the Application.

116

3. Corrections other than Informalities Noted by the Drawing Review Branch on the Form PTO-948

All changes to the drawings, other than informalities noted by the Drawing Review Branch, MUST be approved by the examiner before the application will be allowed. No changes will be permitted to be made, other than correction of informalities, unless the examiner has approved the proposed changes.

OMMENS